INDEX TO VOLUME 69, 1957

This index includes, in addition to names of species and authors, references to the following topics: behavior, conservation, embryology, food habits, hybrids, geographic localities, growth, measurements, migration, molts and plumages, nesting, parasitism, physiology, populations, predation, taxonomy, voice, and weights. References of biological significance to mammals and reptiles are grouped under those headings. Names of new forms described in this volume are printed in **boldface** type.

Accipiter cooperii, 62, 111, 184, 263
  striatus, 52, 58, 62, 184
Acridotheres cristatellus, 234
  fuscus, 234
  ginginianus, 234
  tristis, 208, 234
Acrocephalus scirpaceus, 89
Actitis macularia, 53
Aechmolophus mexicanus, 365
Aegolius acadicus, 178
Agelaius, 183
  phoenicius, 103, 182, 233, 276
Ailuroedus crassirostris, 234
Aix, 291, 296, 297, 299
  galericulata, 291–300
  sponsa, 16, 280, 291–300, 369
Alauda arvensis, 330, 331
Alberta, 338, 339, 348
Alcedinidae, 59
Alectoris graeca, 230
Allen, Arthur A., photograph by, opp. 195
Allen, Durward L., "Pheasants in North America," reviewed, 117–119
Allen, Robert Porter, "The Flamingoes: Their Life History and Survival," reviewed, 189–190
Alopochen aegyptiacus, 370
Amazilia tzactl, 275
  yucatanensis, 275
Amazona autumnalis, 274
  leucocephala, 304
  viridigenalis, 274
Ammodramus savannarum, 55
Anhinga, 51, 52
  anhinga, 52
Anas, 31, 291, 296–299
  acuta, 15, 52
  americana, 15
  carolinensis, 52
  clypeata, 21
  crecca carolinensis, 109
  cyanoptera, 15
  discors, 21, 52, 279, 280
  platyrhynchos, 15, 52, 181, 280, 292, 294, 295, 296, 363, 368
  rubripes, 31, 280
  strepera, 21, 52
  superciliosa, 16
Anatidae, 299
Anatinae, 291
Ani, Groove-billed, 305
  Smooth-billed, 106, 305–306
Anser albifrons, 166, 169
  anser, 10, 292, 295, 296
  arvensis, 10
  caerulescens, 21
Anseriformes, 51
Ant-Tanager, Red-throated, 233
Anthus pratensis, 247
  spinoletta, 54
  trivialis, 230, 248
Antiurus maculicaudatus, 364
Apodiformes, 59
Apostle-Bird, 234
Apus apus, 248
Aquila chrysaetos, 106–107
Aramus guarauna, 311
Archilochus, 157, 158
  colubris, 53, 155–163
Ardea herodias, 52
  occidentalis, 106
Arenaria interpres, 53
Arizona, 164
Asio flammeus, 53, 111
Asyndesmus lewis, 166
Athene noctua, 248
Avocet, 112
Aythya, 25, 26, 31
  affinis, 21, 52
  americana, 5–34, 52
  collaris, 17, 52
  ferina, 24
  fuligula, 7
  valisineria, 15–17, 52

INDEX TO VOLUME 69, 1957

This index includes, in addition to names of species and authors, references to the following topics: behavior, conservation, embryology, food habits, hybrids, geographic localities, growth, measurements, migration, molts and plumages, nesting, parasitism, physiology, populations, predation, taxonomy, voice, and weights. References of biological significance to mammals and reptiles are grouped under those headings. Names of new forms described in this volume are printed in **boldface** type.

Accipiter cooperii, 62, 111, 184, 263
  striatus, 52, 58, 62, 184
Acridotheres cristatellus, 234
  fuscus, 234
  ginginianus, 234
  tristis, 208, 234
Acrocephalus scirpaceus, 89
Actitis macularia, 53
Aechmolophus mexicanus, 365
Aegolius acadicus, 178
Agelaius, 183
  phoenicius, 103, 182, 233, 276
Ailuroedus crassirostris, 234
Aix, 291, 296, 297, 299
  galericulata, 291–300
  sponsa, 16, 280, 291–300, 369
Alauda arvensis, 330, 331
Alberta, 338, 339, 348
Alcedinidae, 59
Alectoris graeca, 230
Allen, Arthur A., photograph by, opp. 195
Allen, Durward L., "Pheasants in North America," reviewed, 117–119
Allen, Robert Porter, "The Flamingoes: Their Life History and Survival," reviewed, 189–190
Alopochen aegyptiacus, 370
Amazilia tzactl, 275
  yucatanensis, 275
Amazona autumnalis, 274
  leucocephala, 304
  viridigenalis, 274
Ammodramus savannarum, 55
Anhinga, 51, 52
  anhinga, 52
Anas, 31, 291, 296–299
  acuta, 15, 52
  americana, 15
  carolinensis, 52
  clypeata, 21
  crecca carolinensis, 109
  cyanoptera, 15
  discors, 21, 52, 279, 280
  platyrhynchos, 15, 52, 181, 280, 292, 294, 295, 296, 363, 368
  rubripes, 31, 280
  strepera, 21, 52
  superciliosa, 16
Anatidae, 299
Anatinae, 291
Ani, Groove-billed, 305
  Smooth-billed, 106, 305–306
Anser albifrons, 166, 169
  anser, 10, 292, 295, 296
  arvensis, 10
  caerulescens, 21
Anseriformes, 51
Ant-Tanager, Red-throated, 233
Anthus pratensis, 247
  spinoletta, 54
  trivialis, 230, 248
Antiurus maculicaudatus, 364
Apodiformes, 59
Apostle-Bird, 234
Apus apus, 248
Aquila chrysaetos, 106–107
Aramus guarauna, 311
Archilochus, 157, 158
  colubris, 53, 155–163
Ardea herodias, 52
  occidentalis, 106
Arenaria interpres, 53
Arizona, 164
Asio flammeus, 53, 111
Asyndesmus lewis, 166
Athene noctua, 248
Avocet, 112
Aythya, 25, 26, 31
  affinis, 21, 52
  americana, 5–34, 52
  collaris, 17, 52
  ferina, 24
  fuligula, 7
  valisineria, 15–17, 52

Bailey, Alfred M., Hudsonian Godwit in Colorado, 112
Baldpate, 182
Bambusicola thoracica, 329, 331
Bartholomew, George A., and Tom J. Cade, The body temperature of the American Kestrel, Falco sparverius, 149–154
Bartlett, L. M., Ring-billed Gull steals food from Coot, 182
Bartramia longicauda, 53
Becard, Black-capped, 275
Gray-collared, 275
Behavior, 78–90, 105, 107, 108, 111, 113, 128–129, 170–177, 179–181, 182, 184–188, 195–251, 266–270, 276, 280, 306–310, 321, 361–364, 368–370
Berger, Andrew J., Population density of Alder Flycatchers and Common Goldfinches in Crataegus habitats of southeastern Michigan, 317–322
Berger, Daniel D., A peculiar type of flight in Cooper's Hawk, 110–111
Bishop, Fire-crowned, 234
Orange, 208, 234
Taha, 234
Bittern, American, 52, 342
Least, 48, 50, 51, 52, 362
Blackbird, Brewer's, 102–105, 276
European, 207, 231
Melodious, 276
Red-winged, 103, 104, 183, 233, 276
Yellow-headed, 183
Bluebird, 248
Eastern, 370
Bobolink, 51, 55, 70, 73, 233
Bombycilla cedrorum, 54, 184, 230, 248
Bombycillidae, 65, 230
Bonasa umbellus, 230, 248
Botaurus lentiginosus, 52, 342
Bowerbird, Satin, 234
Brambling, 233
Branta canadensis, 10, 370
c. leucopareia, 181
Breckenridge, W. J., review by, 190–191
British Columbia, 238
Bubalornis, 233
albirostris, 233
Bubo virginianus, 230, 263–272, 369
Bucephala clangula, 21, 31
Bullfinch, Cuban, 311
Bunting, 228
Indigo, 55, 74, 207, 212, 226, 232
Lazuli, 232
Meadow, 325, 326
Orange-breasted, 233
Painted, 51, 55, 74, 200, 214, 240, 311
Buss, Irven O. and Helmer Mattison, "A Half Century of Change in Bird Populations of the Lower Chippewa River, Wisconsin," reviewed, 190–191
Buteo jamaicensis, 169, 180, 181, 263–272, 274
lagopus, 274
lineatus, 263
platypterus, 41, 52, 263, 304, 370
regalis, 279
swainsoni, 166, 274
Butorides virescens, 52, 82, 184
Cade, Tom J., see Bartholomew, George A.
———
Cairina moschata, 291–300
Cairinini, 291, 299
Calidris canutus, 53
California, 165
Callipepla, 145
squamata, 196, 197, 230, 280
Calospiza cyanicollis, 233, 245
cyanoventris, 233
fatuosa, 233
Camptostoma imberbe, 167
Campylopterus curvipennis, 274
Capella gallinago, 53
Capercaillie, 230
Caprimulgidae, 59
Caprimulgus carolinensis, 51, 53
cubanensis, 306
maculicaudatus, 364
ridgwayi, 365
vociferus, 113
Cardinal, 79, 80, 82, 83, 84, 85, 86, 87, 108, 109, 214, 232, 236
Cardinal, Brazilian, 232
Cardinalis cardinalis, 214, 232
Cardinalinae, 232
Carduelinae, 233
Carduelis cannabina, 247
Carpodacus mexicanus, 79
purpureus, 84, 85
Casmerodius albus, 52, 184, 185
Cassidix mexicanus, 167, 233, 366

Catbird, 54, 64, 75, 80, 82, 85, 86, 207, 230, 234, 309–310, 371
Cathartes aura, 52, 304
Catharus, 362
fuscescens, 231
guttatus, 231
minimus, 231
ustulatus, 231
Catoptrophorus semipalmatus, 53
Centropus superciliosus, 113
Centurus aurifrons, 80, 82, 196, 230
carolinus, 80, 82, 85
superciliaris, 308
Chaetura pelagica, 40, 53
vauxi, 165
Chaffinch, 224, 233
Charadriidae, 58
Charadrius alexandrinus, 106
hiaticula, 52
vociferus, 109, 278–279
wilsonia, 52
Chat, Yellow-breasted, 55, 73
Chicken, Domestic, 26, 230
Chiapas, 361
Chlidonias niger, 53
Chloris sinica, 332
Chloropsis aurifrons, 230
jerdoni, 230
Chlorostilbon ricordii, 306
Chondestes grammacus, 179–180
Chordeiles minor, 50, 51, 53, 110, 306, 365
m. minor, 306
m. gundlachii, 306
Chough, White-winged, 197
Chukar, 230
Chuck-will's-widow, 50, 53, 59
Ciconiiformes, 51
Cinclidae, 230
Cinclus cinclus, 230
pallasi, 224, 230
sp., 230, 244
Circus cyaneus, 52, 111, 274
Cissolopha beecheii, 210, 235, 365
yucatanica, 366
Claravis pretiosa, 274
Coahuila, 370
Coccothraustes coccothraustes, 233
Coccyzus americanus, 53
erythropthalmus, 53, 109
Cockatoo, 208, 230
Coerebinae, 233
Colaptes auratus, 80, 82, 85, 181, 196, 230
Colinus, 145
virginianus, 91, 197, 304
Coliuspasser ardens, 233
macrocercus, 233
Collett, F. M., Nesting of the Bahaman Yellowthroat, 183
Colluricincla parvula, 232
Colorado, 107
Columba flavirostris, 276
inornata, 304
leucocephala, 304
livia, 170–177
squamosa, 304
Columbidae, 59
Columbigallina passerina, 53, 80, 82, 106, 304
talpacoti, 274
Colymbiformes, 51
Contopus caribaeus, 308
virens, 82
Connell, Clyde E., see Norris, Robert A. ———
Conservation, 301
Coot, American, 52, 58, 181, 182
Copsychus malabaricus, 217, 231
saularis, 217, 231
Corcorax melanoramphus, 197
Corvidae, 234
Corvus brachyrhynchos, 198, 235, 266, 368
caurinus, 225, 235
corax, 235
corone, 206, 235, 241, 330, 370
c. cornix, 235
frugilegus, 206, 235
imparatus, 275
levaillantii, 330
monedula, 248
nasicus, 308
ossifragus, 185, 308
palmarum, 308
Cotter, William B., Jr., A serological Analysis of some anatid classifications, 291–300
Cottrille, Betty Darling, see Walkinshaw, Lawrence H. ———
Cottrille, W. Powell, see Walkinshaw, Lawrence H. ———
Coucal, African, 113

Cowbird, Brown-headed, 103, 104, 233, 278, 279, 319, 370
Red-eyed, 276
Cracticidae, 234
Crane, Sandhill, 106, 311
Crocethia alba, 53, 187–188
Crossbill, Red, 367
Crotophaga ani, 106, 305
sulcirostris, 273, 276, 305
Crow, American, 326
Carrion, 206, 210, 211, 214, 224, 225, 227, 229, 235, 238, 241, 242, 243, 245, 325, 326, 330, 370
Common, 198, 207, 212, 225, 227, 229, 235, 246, 248, 368–370
Cuban, 308
Fish, 185, 308
Hooded, 235
Jungle, 325, 330
Mexican, 275
Northwestern, 225, 235, 243, 245
Palm, 308
Crypsirina bayleyi, 235
Cuckoo, Black-billed, 53, 59, 109
Cuban Lizard, 304
Yellow-billed, 53, 57, 59, 168
Cuculidae, 59
Curlew, Hudsonian, 53, 58
Long-billed, 53, 58
Cyanerpes cyaneus, 311
Cyanocitta cristata, 80, 82, 85, 210, 235
Cyanopica cyanus, 235, 331
Cyclarhis gujanensis, 275, 276
Cyornis, White-bellied, 232
Cyornis tickelliae, 232
Cyrtonyx, 123
Dacnis cayana, 217, 233, 245
Dactylortyx thoracicus, 123–148
t. **calophonus**, 140, 142, 144
t. chiapensis, 133, 134, 137–138, 139, 140, 142
t. **conoveri**, 142, 143, 144
t. devius, 132, 135–136, 142, 144
t. **dolichonyx**, 138, 139, 140, 142, 144
t. **edwardsi**, 139–140, 142
t. fuscus, 133, 140, 141–142, 143, 144
t. **ginetensis**, 137, 138, 139, 142, 144
t. lineolatus, 133, 136
t. **melodus**, 136, 137, 140, 142, 144
t. **moorei**, 138–139, 142, 144
t. paynteri, 133, 135, 139, 142, 144
t. **pettingilli**, 133–134, 135, 136, 140, 142, 143, 144
t. **rufescens**, 142–143, 144
t. salvadoranus, 133, 140, 141, 142
t. sharpei, 133, 134, 135, 142, 143, 144
t. subsp., 140–141, 142
t. taylori, 133, 140, 141, 142
t. thoracicus, 133, 134–135, 136, 137, 142, 144
Davis, L. Irby, Observations on Mexican birds, 364–367
Delichon urbica, 248
Dendrocolaptes certhia, 230
Dendrocolaptidae, 230
Dendrocygna arborea, 311
Dendroica audubonii, 169
caerulescens, 55, 311
castanea, 55
cerulea, 55
coronata, 55, 82, 275
discolor, 55
dominica, 55, 275
fusca, 55
kirtlandii, 341
magnolia, 51, 54, 275
palmarum, 40, 55, 338–351
p. hypochrysea, 338–339
p. palmarum, 338–339, 340, 349
pensylvanica, 55
petechia, 54, 82
pinus, 341
striata, 40, 51, 55
tigrina, 40, 54
virens, 55, 311
Dendronessa, 291
Dexter, Ralph W., Observations on three albino American Robins, 185–186
Diatropura progne, 233
Dichromanassa rufescens, 106
Dickcissel, 55, 72, 74
Dickerman, Robert W., Notes on the Red Crossbill in Minnesota, 367–368
Dicruridae, 234
Dicrurus sp., 234
Dipper, Brown, 224, 230
European, 230
Dixon, Keith L., review by, 119
Dives dives, 276
Dolichonyx oryzivorus, 51, 55, 233

Dove, Blue Ground, 274
Eastern Turtle, 330
Ground, 53, 80, 82, 87, 90, 106, 304
Mourning, 53, 59, 82, 85, 91–101, 183, 326, 330
Ruddy Ground, 274
Turtle, 325, 326
White-winged, 59, 362
Zenaida, 304
Dowitcher, 53, 58
Long-billed, 112
Drepanoplectes jacksoni, 233
Drongo, 234
Duck, Black, 31, 280
Canvasback, 15–17, 21, 27, 32, 52, 182
Goldeneye, 21, 31
Gadwall, 21, 52
Grey, 16
Mallard, 15, 17, 21, 31, 52, 181, 280, 292, 294–299, 363–364, 368–370
Mandarin, 291–300
Muscovy, 291–300
Pekin, 292, 294–299
Pintail, 15, 17, 21, 31, 32, 52
Pochard, European, 24, 25, 30
Common, 32
Redhead, 5–34, 52
Ring-necked, 17, 32, 52
Ruddy, 21, 31, 52
Scaup, Lesser, 21, 52
Scoter, 24
White-winged, 21
Shoveller, 21, 52, 280
Teal, Blue-winged, 21, 52, 279, 280
Cinnamon, 15
Green-winged, 52, 109
Tufted, 7, 16–18
West Indian Tree, 311
Widgeon, American, 15, 21, 52
Wood, 16, 32, 280, 291–300, 369
Ducks, 180
Perching, 291
Dumetella carolinensis, 54, 80, 82, 85, 207, 230, 309, 371
Dyer, William A., see Walkinshaw, Lawrence H. ———
Eagle, Golden, 106
Egret, American, 184, 185
Common, 52
Reddish, 106
Snowy, 52, 184
Elanoides forficatus, 52
Elanus leucurus, 274
El Salvador, 124
Emberiza, 228
cioides, 331–332
Emberizidae, 232
Emberizinae, 232
Embryology, 92–94
Empidonax, 54, 64
flaviventris, 54
fulvifrons, 365
mexicanus, 365
minimus, 54
traillii, 54, 317–320
virescens, 54, 365
Ereunetes mauri, 53
pusillus, 53
Erolia bairdi, 53
fuscicollis, 53
melanotos, 53
minutilla, 53
Erwin, R. J., and Richard D. Porter, photograph by, 178
Estrilda temporalis, 233, 247
Estrildidae, 233
Eudocimus albus, 41, 52
Euphagus cyanocephalus, 102–105, 276
Euplectes franciscana, 208, 234
hordeaceus, 234
taha, 234
Falco, 149
columbarius, 52, 106
peregrinus, 52
sparverius, 52, 149–154, 274, 278–279, 304
tinnunculus, 149, 153
Falcon, 58
Peregrine, 52
Falconiformes, 55
Finch, Bengalese, 233
House, 79
Purple, 84, 85
Fisher, Harvey I., Footedness in Domestic Pigeons, 170–177
Flicker, 80, 82, 85, 181, 196, 230
Florida, 78, 106, 157
Florida caerulea, 41, 52, 185
Flycatcher, Acadian, 54, 64, 365
Alder, 317–321

Beardless, 167
Buff-breasted, 365
Crested, 53, 64, 80, 82
Least, 54, 64
Loggerhead, 308
Ochre-bellied, 230
Olive-sided, 50, 54, 64
Pileated, 365
Scissor-tailed, 53, 64, 275
Traill's, 54
Yellow-bellied, 54
Food habits, 104, 112, 129, 263, 278, 305–306
Fowl, Domestic, 26, 230
Fringilla coelebs, 224, 233
montifringilla, 233
Fringillidae, 74, 233
Fringillinae, 233
Fulica americana, 52, 181, 182
Gallinule, Purple, 52, 58
Gallus gallus, 26, 230
Garrulax, albogularis, 231
caerulatus, 231
chinensis, 231
erythrocephalus, 231
leucolophus, 231
ruficollis, 231
sp., 218, 231
Garrulus glandarius, 206, 225, 234
lanceolatus, 210, 234
lidthi, 235
Geococcyx californianus, 362
Georgia, 157
Geothlypis rostrata, 183
r. coryi, 183
trichas, 55, 166, 311
Glasgow, Leslie L., and Robert Henson, Mourning Dove nestlings infested with larvae of Philornis, 183–184
Glaucidium brasilianum, 167
Gnatcatcher, Blue-gray, 54, 64
Godwit, Hudsonian, 53, 58, 112
Marbled, 53, 58
Goldfinch, American, 326
Common, 82, 85, 320–321
Goose, Blue, 21
Canada, 10, 181, 370
Egyptian, 370
Embden, 292, 294–299
Greylag, 10
Pink-footed, 10
Snow, 21
Spur-winged, 291
Toulouse, 292, 295, 296
White-fronted, 166, 169
Grackle, 103, 104
Boat-tailed, 167, 233
Bronzed, 85,
Common, 205, 214, 233, 242, 244
Great-tailed, 366
Indian, 234
Tinkling, 195, 233
Gracula religiosa, 234
Grallina cyanoleuca, 234, 243
Grallinidae, 234
Grassquit, 311
Grebe, Eared, 181
Least, 273
Pied-billed, 51, 52, 112
Greenfinch, 325, 326, 332
Grosbeak, Black-headed, 167, 232
Blue, 55, 74
Crimson-collared, 273
Evening, 233
Rose-breasted, 55, 72, 74, 75, 226, 229, 232
Grouse, Black, 230
Red, 370
Ruffed, 197, 230, 348
Growth, 7–10, 14–15, 31–32, 94–100
Grus canadensis, 106, 311
Guatemala, 124
Guiraca caerulea, 55
Gull, 187
Black-headed, 248
Bonaparte, 166
California, 164, 279
Herring, 53, 59, 248
Ring-billed, 182
Gymnorhina dorsalis, 234
Habia gutturalis, 233
Hagar, Donald C., Jr., Nesting populations of Red-tailed Hawks and Horned Owls in central New York State, 263–272
Hall, Fred T., Proceedings of the thirty-eighth annual meeting, 281–288
Hamilton, William J., III, Blue-winged Teal nest parasitized by Brown-headed Cowbird, 279

Hanson, Harold C., and Charles W. Kossack, Methods and criteria for aging incubated eggs and nestlings of the Mourning Dove, 91–101
Harrell, Byron E., see Warner, Dwain W.
———
Hauser, Doris C., Some observations on sun-bathing in birds, 78–90
Hawfinch, 233
Hawk, Broad-winged, 41, 49, 52, 55, 263, 304
Cooper's, 52, 58, 110–111, 184, 263
Ferruginous Rough-legged, 279
Marsh, 52, 58, 111, 274
Pigeon, 52, 106
Red-shouldered, 263
Red-tailed, 169, 180–181, 263–272, 274
Rough-legged, 274
Sharp-shinned, 52, 184
Sparrow, 52, 274, 278–279, 304, 311
Swainson's, 166, 274
Hawk-eagle, Black and White, 273
Ornate, 274
Helmitheros vermivorus, 54
Henson, Robert, see Glasgow, Leslie L.
———
Heron, Black-crowned Night, 52, 166, 184, 185, 329
Great Blue, 52
Great White, 106
Green, 48, 51, 52, 82, 184, 185
Little Blue, 41, 52, 185
Louisiana, 52, 184–185
Yellow-crowned Night, 40, 51, 52, 185
Hesperiphona vespertina, 233
Heterophasia capistrata, 232
Himantopus mexicanus, 53
Hirundinidae, 64
Hirundo, 165
neoxena, 248
rustica, 54, 107, 109, 330
Honduras, 124
Honey-creeper, Blue, 311
Honeyeater, Yellow-eared, 232
Hummingbird, Bee, 306–307
Buff-bellied, 275
Cuban Emerald, 306
Ruby-throated, 53, 59, 155–163
Rufous-tailed, 275
Sabre-wing, Wedge-tailed, 275
Hybrid, Canvasback × Redhead, 27, 32
Redhead × Ring-necked, 32
Kakatoe sanguinea × rosicapilla, 230
Pheucticus melanocephalus × P. ludovicianus, 232
Hydranassa tricolor, 52, 184–185
Hylocichla, 362 (see Catharus)
fuscescens, 40, 51, 54
guttata, 54
minima, 54
mustelina, 41, 54, 231, 239
ustulata, 40, 54, 275
Ibis, White, 41, 49, 51, 52
Icteria virens, 55
Icteridae, 73, 233, 234
Icterus auratus, 366
fuertesi, 276, 367
galbula, 55, 208, 228, 233
gularis, 233, 276
jamacaii, 233
parisorum, 166
pustulatus, 216, 233
spurius, 55, 200–251, 276, 366–367
sp., 233
Ictinia misisippiensis, 52
Illinois, 333
Iowa, 333
Irenidae, 230
Iridoprocne, 165
bicolor, 54
Ixobrychus exilis, 50, 52, 362
Ixoreus naevius, 114
Jacana spinosa, 362
Jackdaw, 247, 248
Jay, Beechey's, 210, 235, 365
Blue, 80, 82, 83, 84, 85, 86, 87, 202, 210, 211, 217, 227, 235, 247
European, 206, 212, 216, 225, 228, 234, 242, 245, 247
Lanceolated, 210, 213, 234
Lidth, 235
Yucatan, 366
Jeter, Horace H., Eastern Phoebe nesting in Louisiana, 360–361
Johnston, Bette J., A technique for trapping cowbirds, 278
Johnston, David W., see Norris, Robert A.
———
Junco, Slate-colored, 84, 85, 232, 341

Junco, 353
hyemalis, 84, 85, 232, 341
Juhn, Mary, "Frightmolt" in a male Cardinal, 108–109
Jynx torquilla, 196, 230
Kakatoe sanguinea × roseicapilla, 230
Kansas, 108
Keefer, Mary Belle, Varied Thrush in Texas, 114
Kestrel, American, 149–154
Kilham, Lawrence, Egg-carrying by the Whip-poor-will, 113
Killdeer, 58, 109, 278–279
Kingbird, Eastern, 53, 59, 60, 326
Gray, 53, 61, 64, 308
Western, 53, 64
Kingfisher, Belted, 53, 59, 165
Kinglet, Golden-crowned, 232, 236
Ruby-crowned, 54, 64, 275, 362
Kite, Gray-headed, 274
Mississippi, 52, 55
Swallow-tailed, 52, 55
White-tailed, 274
Kitta chinensis, 235, 245
erythrorhyncha, 235, 245
Klimstra, W. D., and W. O. Stieglitz, Notes on reproductive activities of Robins in Iowa and Illinois, 333–337
Knot, American, 53
Kossack, Charles W., see Hanson, Harold C. ———
Lagopus scoticus, 370
Laniidae, 230
Lanius bucephalus, 200, 230, 331
ludovicianus, 200, 370
Lamprotornis caudatus, 234
chalybaeus, 234
Lanyon, Wesley E., review by, 374
Laridae, 59
Larus, 187
argentatus, 53, 248
californicus, 164, 279
delawarensis, 182
philadelphia, 166
ridibundus, 248
sp., 8
Laughing-Thrush, Black-throated, 231
Gray-sided, 231
Red-headed, 231
Rufous-necked, 231
White-crested, 231
White-throated, 231
Leavitt, B. B., Water moccasin preys on Pied-billed Grebe, 112–113
Leiothrix, Silver-eared, 231
Leiothrix argentauris, 231
lutea, 217, 229, 231
sp., 232
Leptodon cayanensis, 274
Leucophoyx thula, 52, 184
Limnodromus griseus, 53
scolopaceus, 53, 112
Limnothlypis swainsonii, 54
Limosa fedoa, 53
haemastica, 53, 112
Limpkin, 311
Linnet, 247, 248
Lophortyx gambelii, 197
Louisiana, 360
Loxia curvirostra, 367
c. benti, 367
c. minor, 367
c. sitkensis, 367
Lunk, William A., review by, 189–190
Lyrurus tetrix, 230
Mackenzie, 338
Magpie, 211, 213, 229, 235, 242
Australian, 234
Azure-winged, 235
Black-billed, 200
Blue, 325, 331
Green, 235, 245
Red-billed Blue, 235, 245
Magpie-Lark, 234, 243, 246
Magpie-Robin, 217, 231
Mammals
Capromys pilorides, 301
Didelphis marsupialis, 368
Felis domesticus, 243, 336
Herpestes, 304
Marmota monax, 263
Mephitis mephitis, 279
Microtus, 178
Procyon lotor, 266, 368
Sciurus carolinensis, 243, 266
Sylvilagus floridanus, 263
Manitoba, 5, 338, 349
Manville, Richard H., Effects of unusual spring weather on Scarlet Tanagers, 111–112

Mareca americana, 52
Marshall, Joe T., Jr., "Birds of Pine-oak woodland in southern Arizona and adjacent Mexico," reviewed, 374-375
Martin, Caribbean, 110
House, 248
Purple, 54, 61, 64
Mattison, Helmer, see Buss, Irven O.

McClure, H. Elliott, A study of summer bird populations near Tokyo, Japan, 323-332
Meadowlark, 326
Common, 233
Meanley, Brooke, see Neff, Johnson A.

Measurements, 6, 367-368
Megaceryle alcyon, 53, 165
Megadyptes antipodes, 13
Melanerpes erythrocephalus, 59
Melanitta deglandi, 21
spp., 24
Melanotis hypoleucos, 362
Meleagrididae, 230
Meleagris gallopavo, 195, 230
Meliphaga lewini, 232
Meliphagidae, 232
Mellisuga helenae, 306-307
Melopyrrha nigra, 311
Melospiza lincolnii, 55, 227
melodia, 210, 232
Mexico, 124, 273, 364
Meyerriecks, Andrew J., "Bunching" reaction of Cedar Waxwings to attacks by a Cooper's Hawk, 184; Louisiana Heron breeds in New York City, 184-185; Sparrow Hawks prey on newly hatched Killdeer, 278-279
Michigan, 13, 183, 317-322, 338, 339, 340-341, 344, 345, 349
Micropalama himantopus, 50, 53
Middle America, 145
Migration, 12-13, 39-75, 164-169, 263, 338-339, 352-359, 367
Miller, Alice D., Feeding behavior of Red-tailed Hawks, 180-181; A pallid-eyed individual of Dumetella carolinensis, 371
Miller, Loye, Some avian flyways of western America, 164-169
Mimidae, 64, 230, 361
Mimocichla plumbea, 308-309
p. rubripes, 308
Mimus gilvus, 361, 362
g. gracilis, 361
polyglottos, 81, 82, 85, 230, 246, 309, 361-363
saturninus, 361, 362
Minla cyanouroptera, 232
Minnesota, 339, 340, 345, 348, 367
Mniotilta varia, 54
Mockingbird, 81, 82, 85, 86, 230, 246
Blue, 362
Calandria, 361
Common, 361-363
Graceful, 361
Northern, 309-310
Molothrus ater, 103, 233, 278, 279, 319, 370
Molts and plumages, 15-34, 96-100, 123-124, 131-132, 157-158, 185, 306, 364, 368
Motacilla alba, 247
Motacillidae, 65, 230
Munia striata, 233
Muscivora forficata, 53, 275
Muscicapidae, 231
Muscicapinae, 232
Myadestes elisabeth, 311-312
unicolor, 223, 231
Myiarchus crinitus, 53, 80, 82
stolidus antillarum, 110
Mynah, Bank, 234
Chinese Jungle, 234
Indian, 208, 234, 245
Indian Jungle, 234
Neff, Johnson A., and Brooke Meanley, Status of Brewer's Blackbird on the Grand Prairie of Eastern Arkansas, 102-105
Neophema pulchella, 230
Nesting, 13, 92-100, 131, 183, 265-267, 270-271, 279, 280, 317-321, 333-336, 342-349, 268-370
New Hampshire, 113
New Jersey, 181
New York, 184
Nighthawk, 111
Booming, 365
Common, 50, 51, 53, 59, 60, 306
Spotted-tailed, 364
Nightjar, Antillean, 306
Niltava, Rufous-bellied, 232

Niltava sundara, 232
Norris, Robert A., Clyde E. Connell, and David W. Johnston, Notes on fall plumages, weights, and fat condition in the Ruby-throated Hummingbird, 155–163
North Carolina, 78
North Dakota, 352
Numenius americanus, 53
hudsonicus, 53
Nuttallornis borealis, 50, 54
Nyctanassa violacea, 40, 52, 185
Nycticorax, 166
nycticorax, 52, 184, 329
Odontophorinae, 145
Odontophorus lineolatus, 132, 137
Ohio, 280
Ontario, 338–339
Oporornis formosus, 55
philadelphia, 55
tolmiei, 166
Oriole, Alta Mira, 276
Baltimore, 55, 73, 208, 228, 233
Black-throated, 233, 276
Fuertes, 276, 367
Orange, 366
Orchard, 55, 71, 73, 200–251, 366
Scott's, 166
Streak-backed, 216, 233
Oriolus melanocephala, 237
Ortyx thoracicus, 132
Osprey, 40, 52, 58, 166
Ouzel, Ring, 231
Ovenbird, 55, 73, 85
Owl, Barn, 306
Barred, 263, 345
Ferruginous Pigmy, 167
Horned, 196, 230, 263–272, 369
Little, 248
Saw-whet, 178
Short-eared, 53, 110
Oxyura jamaicensis, 21, 31, 52
Pachycephala rufiventris, 208, 232
Pachycephalinae, 232
Pachyramphus major, 275
Packard, Robert L., Broad-winged Hawk in Coahuila, 370–371
Pandion haliaetus, 40, 52, 166
Paradisaeidae, 234
Paradoxornis, Black-throated, 232
Paradoxornis gularis, 232
Paradoxornithinae, 232
Parakeet, Turquoise, 230
Parkes, Kenneth C., Notes, chiefly distributional, on some Florida birds, 106–107
Parasitism, 183, 237
Paroaria capitata, 232
Parrot, Cuban, 304
Red-crowned, 274
Yellow-cheeked, 274
Unidentified, 230
Parula americana, 54
Parulidae, 65, 233
Parus bicolor, 80, 82, 85
Passer domesticus, 79, 82, 85, 180, 198, 233, 276, 278, 326
montanus, 326, 327, 331
Passerculus sandwichensis, 55
Passerella iliaca, 90, 232
Passerherbulus caudacutus, 341
Passerina amoena, 232
ciris, 51, 55, 200, 311
cyanea, 55, 207, 232
leclancherii, 233
Pelecaniformes, 51
Pelecanus erythrorhynchos, 41, 52, 166
Pelican, White, 41, 51, 52, 166, 167, 168
Penguin, Yellow-eyed, 13
Pepper-shrike, Rufous-browed, 275
Perdix lineolata, 132
Peters, Stuart S., Brood capture involving conflict between two female Mallards, 363–364
Petrochelidon, 165
fulva, 308
pyrrhonota, 51, 54
Pewee, Eastern Wood, 54, 64, 82
Greater Antillean, 308
Phainopepla nitens, 166
Phalarope, Wilson's, 53, 59
Phalaropodidae, 58
Phasianidae, 196, 230
Phasianus colchicus, 13, 230, 369
Pheasant, Bamboo, 325, 326
Ring-necked, 13, 117, 197, 230, 369
Pheucticus ludovicianus, 55, 226, 232
melanocephalus, 167, 232
melanocephalus × ludovicianus, 232
Philortyx, 145
Phoebe, Eastern, 53, 64, 360
Say's, 365

Phoenicoparrus jamesi, 189–190
Phoenicopterus ruber, 189–190
Physiology, 89–90, 149–154, 159–162, 291
Pica pica, 213, 229, 235
p. hudsonia, 200
Picidae, 59, 230, 236
Picus viridis, 196, 230
Pierce, Robert A., review by, 117–119
Pigeon, Domestic, 170–177
Plain, 304
Red-necked, 304
White-crowned, 304
Pipilo erythrophthalmus, 79, 82, 232, 278
fuscus, 232
Pipit, American, 54, 65
Meadow, 247, 248
Tree, 230, 248
Pipromorpha oleaginea, 230
Piranga erythromelas, 111
olivacea, 55, 214, 233
rubra, 55, 82, 87, 233, 279
Pitangus sulphuratus, 276
Plectropterinae, 291
Plectropterus gambiensis, 291
Ploceidae, 233
Ploceus rubiginosus, 233
Plover, Black-bellied, 53, 58, 109
Golden, 53, 58
Piping, 58
Semipalmated, 52, 58
Snowy, 58, 106
Upland, 53, 56, 58
Wilson's, 52, 58
Pluvialis dominica, 53
Podiceps caspicus californicus, 181
dominicus, 273
Podilymbus podiceps, 52, 112
Polioptila caerulea, 54
Pomatorhinus erythrogenys, 231
schisticeps, 231
Population biology, 129–130, 263–272, 317–321, 323–332
Porphyrula martinica, 52
Porter, Richard D., see Erwin, R. J. ———
Porzana carolina, 52, 109
Predation, 112, 184, 263, 278, 279, 368–370
Preston, F. W., The look-out perch as a factor in predation by Crows, 368–370
Priotelus temnurus, 307–308
Progne subis, 54
s. dominicensis, 110
Protonotaria citrea, 54
Psittacidae, 230, 236
Ptilonorhynchus violaceus, 234
Quail, Bob-white, 91, 197, 304, 326
Gambel's, 197
Mearns', 123
Montezuma, 123
Scaled, 196, 197, 230, 280
Singing, 123–148
Quiscalus, 103
niger, 195, 233
quiscula, 205, 233, 244
q. aeneus, 233
q. stonei, 233
versicolor, 85, 233
Rail, Black, 58
Sora, 52, 56, 58, 109
Virginia, 58
Rallidae, 58
Rand, A. L., Sanderlings eat fishermen's bait minnows, 186–187
Raven, 235
Recurvirostra americana, 112
Recurvirostridae, 58
Redstart, American, 51, 55, 73, 75, 82, 311
Redwing, 182, 207, 231
Regulus calendula, 54, 275, 362
satrapa, 232, 236
Reptiles
Agkistrodon piscivorus, 112
Lampropeltis getulus nigra, 279
Sceloperus olivaceus, 363
Rhodothraupis celaeno, 273
Richmonedna cardinalis, 79, 82, 85, 109 (see Cardinalis)
Riparia riparia, 54, 110
Ripley, S. Dillon, photograph by, opp. 291
Roadrunner, 362
Robin, American, 54, 64, 82, 85, 185–186, 207, 213, 214, 226, 231, 239, 241, 242, 308, 333–337
Clay-colored, 231
Peking, 217, 229, 231
Rook, 206, 216, 235, 242, 246, 247, 248
Saltator, Buff-throated, 232
Grayish, 277
Saltator coerulescens, 276, 277
maximus, 232
Sanderling, 53, 58, 186–187

Sandpiper, Baird's, 53
Buff-breasted, 53, 58
Least, 53
Pectoral, 53, 56, 58
Semipalmated, 53, 58
Solitary, 53, 58
Spotted, 53, 58
Stilt, 50, 53, 58
Western, 53
White-rumped, 53, 58
Sapsucker, Yellow-bellied, 53, 59, 275
Saskatchewan, 338–339, 348
Saurothera merlini, 304
Sayornis phoebe, 53, 360
saya, 365
Schorger, A. W., The contributions of Joselyn Van Tyne to the Wilson Ornithological Society, 314–316
Scimitar-Babbler, Rusty-cheeked, 231
Yellow-billed, 231
Scolopacidae, 58
Seaman, G. A., New bird records for Barbuda, British West Indies, 109–110; Status of the Stolid Flycatcher in the American Virgin Islands, 110
Seedeater, Black, 210, 232
Seiurus aurocapillus, 55, 85
motacilla, 55
noveboracensis, 55
Setophaga picta, 362
ruticilla, 51, 55, 82, 311, 362
Shrike, Bull-headed, 200, 230, 325, 326
Loggerhead, 200, 370
Shrike-Thrush, Little, 232
Sialia sialis, 248, 370
Sibia, Black-headed, 232
Sick, Helmut, Anting by two tanagers in Brazil, 187–188
Siva, Blue-winged, 232
Skylark, 325, 326, 330
Snipe, Wilson's, 53, 58
Solitaire, 311
Slate-colored, 223, 231
Sora, 52, 56, 58, 109
South Carolina, 155
South Dakota, 352
Sparrow, Chipping, 85, 169, 341
English, 278, 326
Field, 326
Fox, 90, 232
Grasshopper, 55, 74
Harris', 232, 352–358
House, 79, 80, 81, 82, 84, 85, 180, 198, 200, 233, 276, 277, 311
Lark, 179–180
LeConte's, 341
Lincoln's, 55, 74, 277
Savannah, 55, 74
Song, 210, 212, 232
Tree, 326, 327
White-crowned, 232
White-throated, 82, 84, 85, 86, 88, 232, 352, 355
Spatula clypeata, 21, 52, 280
Sperry, Charles C., Golden Eagle attacks decoy duck, 106–107
Sphyrapicus varius, 53, 275
Spindalis zena, 310–311
Spinus tristis, 82, 85, 320–321
Spiza americana, 55
Spizaetus ornatus, 274
Spizaster melanoleucus, 273, 274
Spizella passerina, 85, 169, 341
Sporophila aurita, 210, 232
Spreo superbus, 234
Squatarola squatarola, 53, 109
Starling, 13, 82, 83, 85, 104
Ashy, 325, 326, 327
Common, 198, 206, 207, 211, 217, 225, 234, 237, 248, 326
European, 184
Glossy, 234
Long-tailed Glossy, 234
Pied, 234
Rose-coloured, 234
Superb, 234
Steganopus tricolor, 53
Stelgidopteryx ruficollis, 54
Stephens, T. C., "An Annotated Bibliography of North Dakota Ornithology," reviewed, 120
Sterna albifrons, 50, 53
anaethetus, 182
f. fuscata, 181
Stevens, O. A., Fall migration and weather, with special reference to Harris' Sparrow, 352–359; review by, 120
Stevenson, Henry M., The relative magnitude of the trans-gulf and circum-gulf spring migrations, 39–77

Stewart, Paul A., Nesting of the Shoveller (Spatula clypeata) in central Ohio, 280
Stieglitz, W. O., see Klimstra, W. D. ———
Stilt, Black-necked, 53, 58
Stophlet, John J. Nocturnal predation on Summer Tanager, nestling by kingsnake, 279
Streptopelia orientalis, 330
Strigidae, 230
Strix varia, 263, 345
Struthidea cinerea, 234
Sturnella magna, 233
Sturnidae, 234
Sturnus cineraceus, 327, 331
contra, 234
roseus, 234
vulgaris, 13, 82, 83, 85, 104, 184, 198, 234, 237
Sugarbird, Blue, 217, 233, 245
Sutton, George Miksch, painting by, opp. 123
Swallow, Antillean Cliff, 308
Bank, 54, 64, 75, 110
Barn, 54, 64, 107, 109, 165, 166, 326
Cliff, 51, 54, 64, 75, 165
House, 325
Rough-winged, 54, 64
Tree, 54, 64, 165, 166
Violet-green, 165, 166
Welcome, 248
Swift, 248
Chimney, 40, 53, 59
Vaux, 165
Sylviidae, 64
Sylviinae, 232
Tachycineta, 165
Tamaulipas, 273
Tanager, Blue-necked, 233, 245
Blue-breasted, 233
Scarlet, 55, 71, 74, 75, 111–112, 214, 233
Stripe-headed, 311
Summer, 55, 74, 82, 87, 90, 233, 279
Superb, 233
Yellow-winged, 276
Tanagrinae, 233
Tangara cyanicollis melanogaster, 187–188
cyanoventris, 187–188
Tangavius aeneus, 276
Taxonomy, 132–143, 291, 308
Telmatodytes palustris, 108
p. dissaeptus, 108
p. plesius, 108
Teretistris fernandinae, 310
Tern, Black, 53, 59
Bridled, 182
Cabot's, 53
Forster's, 59
Least, 50, 53, 59
Royal, 82
Sooty, 181
Tetrao urogallus, 230
Texas, 114, 119, 363
Thalasseus maximus, 82
sandvicensis, 53
Thomas, Jack W., Anting performed by Scaled Quail, 280
Thrasher, Brown, 78, 81, 82, 83, 85, 361, 363
Thraupidae, 74
Thraupis abbas, 276
Thrush, Gray-cheeked, 54, 63, 64, 75, 231
Hermit, 54, 64, 231
Mistle, 228, 231, 243
Olive-backed, 40, 54, 62, 64, 75, 231, 275
Shama, 217, 231
Song, 207, 211, 231
Varied, 114
Western Red-legged, 308–309
Wood, 41, 54, 62, 64, 231, 239
Thryothorus ludovicianus, 81, 82, 85
Tiaris canora, 311
olivacea, 311
Timaliinae, 231
Titmouse, Tufted, 80, 82, 85
Todus multicolor, 308
Tody, Cuban, 308
Totanus flavipes, 53 (see Tringa)
melanoleucus, 53
Towhee, Brown, 232
Red-eyed, 232, 278
White-eyed, 79, 82
Toxostoma rufum, 78, 82, 85, 361
Tree-pie, 235
Tringa flavipes, 112
solitaria, 53
Troglodytes aedon, 54
Troglodytidae, 64
Trogon, Coppery-tailed, 273
Cuban, 307–308
Trogon elegans, 273

Troupial, 233
Tryngites subruficollis, 53
Turdidae, 64
Turdinae, 231
Turdus, 308
ericetorum, 231
grayi, 231, 276
merula, 207, 231
migratorius, 54, 82, 85, 185–186, 207, 231, 241, 242, 308, 333–337
musicus, 207, 213, 231, 241
philomelos, 207, 213, 231, 241
torquatus, 231
viscivorus, 228, 231
Turkey, Wild, 195, 196, 230
Turnstone, Ruddy, 53, 58
Tyrannidae, 59, 230
Tyrannus caudifasciatus, 308
dominicensis, 53, 308
tyrannus, 53
verticalis, 53
Tyto alba, 306
Utah, 13
Vaurie, Charles, Field notes on some Cuban birds, 301–313
Veery, 40, 51, 54, 63, 64, 75, 231
Vermivora bachmanii, 54
celata, 54, 82, 85
chrysoptera, 54
peregrina, 54
pinus, 54, 226, 233
ruficapilla, 54, 107
Vireo, Bell's, 54, 65
Black-whiskered, 310
Blue-headed, 54, 65
Cuban, 310
Golden, 366
Hutton's, 366
Mangrove, 366
Peten, 366
Philadelphia, 54, 65
Red-eyed, 51, 54, 65, 66, 82
Thick-billed, 310
Warbling, 54, 65
White-eyed, 54, 65, 366
Yellow-throated, 54, 65
Vireo altiloquus, 310
bellii, 54
crassirostris, 310
flavifrons, 54
gilvus, 54
griseus, 54, 366
gundlachii, 310
huttoni, 366
hypochryseus, 366
ochraceus, 366
olivaceus, 51, 54, 82
o. flavoviridis, 273
pallens, 366
philadelphicus, 54
semiflavus, 366
solitarius, 54
Vireonidae, 65
Virgin Islands, 110
Voice, 130, 307, 364–367
Vulture, Turkey, 52, 55, 304
Wagtail, Pied, 247, 248
Walkinshaw, Lawrence H., William A. Dyer, W. Powell Cottrille, and Betty Darling Cottrille, Yellow-headed Blackbird nesting in Michigan, 183
Walkinshaw, Lawrence H., and Mark A. Wolf, Distribution of the Palm Warbler and its status in Michigan, 338–351
Warbler, Audubon, 169
Bachman's, 54, 65
Bay-breasted, 55, 68, 73, 75
Black-and-white, 54, 65
Blackburnian, 55, 73, 75
Black-poll, 40, 51, 55, 69, 73
Black-throated Blue, 55, 73, 311
Black-throated Green, 55, 73, 75, 311
Blue-winged, 54, 65, 75, 226, 233
Canada, 55, 73
Cape May, 40, 54, 65, 73
Cerulean, 55, 67, 73, 75
Chestnut-sided, 55, 68, 73, 75
Connecticut, 73
Golden-winged, 54, 65, 75
Hooded, 55, 70, 73, 75
Kentucky, 55, 69, 73
Kirtland's, 73, 340
Magnolia, 51, 54, 65, 75, 275
Mourning, 55, 73
Myrtle, 55, 73, 82, 84, 85, 87, 88, 275
Nashville, 54, 65, 107
Orange-crowned, 54, 65, 82, 85, 87
Palm, 40, 55, 73, 338–351
Parula, 54, 65
Pine, 341

Prairie, 55
Prothonotary, 54, 65, 66
Reed, 89
Swainson's, 54, 65
Tennessee, 54, 65, 67, 75
Tolmie, 166
Wilson's, 55, 73
Worm-eating, 54, 65
Yellow, 54, 65, 75, 82
Yellow-headed, 310
Yellow-throated, 55, 73, 275
Warner, Dwain W., and Byron E. Harrell, The systematics and biology of the Singing Quail, Dactylortyx thoracicus, 123–148
Water-thrush, Louisiana, 55, 73
Northern, 55, 73, 75
Waxbill, Red-browed, 233, 247, 248
Waxwing, Cedar, 54, 65, 184, 230, 248
Weaver, Chestnut, 233
Weights, 10–14, 159–162, 181–182
Weller, Milton W., Growth, weights, and plumages of the redhead, Aythya americana, 5–35; painting by, opp. 5
West Indies, 109
Whip-poor-will, 59, 113, 365
Wisconsin, 111
Whistler, Rufous, 208, 210, 232
Whitaker, Lovie M., Lark Sparrow oiling its tarsi, 179–180; A résumé of anting with particular reference to a captive orchard oriole, 195–262; Comments on wing-flashing and its occurrence in Mimidae with uniformly colored wings, 361–363
White-eye, Western, 217, 232
Whydah, 233
Widow-Bird, Jackson's, 233
Long-tailed, 233
Yellow-shouldered, 233
Willet, 53
Wilson Ornithological Society
Committees, 116, 373
Editorial notes, 115, 372
Ornithological literature, 117–120, 189–191, 373–374
Proceedings of the thirty-eighth annual meeting, 281–288
Research grant, 115, 372
Wilsonia canadensis, 55
citrina, 55
pusilla, 55
Wisconsin, 333, 340, 345
Wolf, Mark A., see Walkinshaw, Lawrence H. ———
Wolfe, L. R., "Check-list of the Birds of Texas," reviewed, 119–120
Woodhewer, Barred, 230
Woodpecker, Cuban Green, 308
Golden-fronted, 80, 82, 196, 230
Green, 196, 230
Lewis, 166, 167
Red-bellied, 80, 82, 83, 85, 87
Red-headed, 59
West Indian Red-bellied, 308
Woolfenden, Glen E., Telmatodytes palustris plesius wintering in southwestern Kansas, 108; Specimens of three birds uncommon in New Jersey, 181–182
Wren, Carolina, 81, 82, 85
House, 54, 64
Long-billed Marsh, 108
Wryneck, 196, 230
Xanthocephalus xanthocephalus, 183
Xiphidopicus percussus, 308
Yellow-legs, Greater, 53
Lesser, 53, 112
Yellow-throat, 55, 73, 166, 311
Bahaman, 183
Yuhina nigrimentum, 232
Zenaida asiatica, 362
aurita, 304
Zenaidura macroura, 53, 82, 85, 91–101, 183
Zimmerman, Dale A., Notes on Tamaulipan birds, 273–277
Zonotrichia albicollis, 82, 84, 85, 232, 352
leucophrys, 232
querula, 232, 352
Zosteropidae, 232
Zosterops palpebrosa, 217, 232

This issue of *The Wilson Bulletin* was published on January 7, 1958.